

| 0.15 | 0.25 | 0.50 | 0.75 | 1.00 |     | 0.15 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 2.50 | 5.00 | 7.50 | 12.50 | 25.00 |     | 1.25 | 2.50 | 5.00 | 12.50 | 25.00 |     | UNI | CHA |
|------|------|------|------|------|-----|------|------|------|------|------|------|------|------|------|-------|-------|-----|------|------|------|-------|-------|-----|-----|-----|
| 0    | 0    | 0    | 0    | 0    | ORD | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0     | 0     | MIS | 0    | 0    | 0    | 0     | 0     | GAR | 0   | 0   |
| 0    | 0    | 0    | 0    | 0    | ILI | 0    | 0    | 0    | 0    | 0    | 0    | 0    | POU  |      |       |       |     |      |      |      |       |       |     |     |     |
| 0    | 0    | 0    | 0    | 0    | DES | 0    | 0    | 0    | 0    | 0    | 0    | SPE  |      |      |       |       |     |      |      |      |       |       |     |     |     |

\* (C)2019w Data Technology Deerlijk \* 2 Participants \* Réclamations : 0475 77 69 08